

## Problem D. Segments

Input file:            **standard input**  
Output file:          **standard output**  
Time limit:            3 seconds  
Memory limit:        40 megabytes

There is a multiset of segments  $S$ . Difference between multiset and set is that multiset allows multiple instances of one segment, unlike a set.

Given two integer numbers  $n$  and  $t$ . You have  $n$  operations of following types that are made over the multiset:

1. Insert segment  $[l, r]$  into the multiset  $S$ . The segment is assigned with  $id$  — minimum positive integer number that was not assigned to any other segment before.
2. Erase the segment with assigned number  $id$  from the multiset  $S$ . It is guaranteed that at the moment of erasing there is a segment in the multiset  $S$  with assigned number  $id$ .
3. Count the number of segments from the multiset  $S$  that has at least  $k$  *integer points* in common with given segment  $[l, r]$ .

*Integer point*  $x$  is common for both segments  $[l_i, r_i]$  and  $[l_j, r_j]$ , if  $l_i \leq x \leq r_i$  and  $l_j \leq x \leq r_j$ .

### Input

The first line of input contains two integer numbers  $n$  and  $t$  ( $1 \leq n \leq 2 \cdot 10^5, 0 \leq t \leq 1$ ) — number of operations and constant number. Each of next  $n$  lines describes one query.

1. Queries of first type are given in following format:  $1 \ a_i \ b_i$  ( $0 \leq a_i, b_i \leq 2 \cdot 10^9$ ).
2. Queries of second type are given in following format:  $2 \ id_i$  ( $1 \leq id_i \leq n$ ).
3. Queries of third type are given in following format:  $3 \ a_i \ b_i \ k_i$  ( $0 \leq a_i, b_i, k_i \leq 2 \cdot 10^9$ ).

Please note that end points of segments  $[l_i, r_i]$  for queries of type 1 and 3 are **encoded**, in order to decode them you need to perform the following transformations:

$$l_i = (a_i \oplus (t * lastans)) \quad r_i = (b_i \oplus (t * lastans))$$

where *lastans* — last answer to the query of type 3 (initially *lastans* equals to 0). If it turned out that  $l_i$  is greater than  $r_i$ , you should swap the values of  $l_i$  and  $r_i$ .

It is guaranteed that there will be at least one query of type 3 in input.

Here  $\oplus$  denotes the bitwise XOR operation.

Consider that problem has **unusual memory limit**.

### Output

For each query of type 3 print answer in separate line.

### Scoring

This task contains six subtasks:

1.  $n \leq 5 \cdot 10^3$ . Scored 7 points.
2.  $n \leq 10^5$ . First comes queries of type 1, then of type 3 and there is no query of type 2. Scored 15 points.
3.  $n \leq 2 \cdot 10^5, k_i = 1$  for all third type queries. Scored 16 points.
4.  $n \leq 10^5, t = 0$ . Scored 17 points.
5.  $n \leq 10^5$ . Scored 20 points.

6.  $n \leq 2 \cdot 10^5$ . Scored 25 points.

### Examples

standard input	standard output
6 1 1 1 2 3 2 4 2 1 3 5 3 2 3 1 2 1 3 0 3 1	0 2 0
6 0 1 3 10 1 3 5 3 6 10 6 2 1 1 3 10 3 6 4 2	0 2