

## Problem J. Pangu and Stones

### Description

In Chinese mythology, Pangu is the first living being and the creator of the sky and the earth. He woke up from an egg and split the egg into two parts: the sky and the earth.

At the beginning, there was no mountain on the earth, only stones all over the land.

There were  $N$  piles of stones, numbered from 1 to  $N$ . Pangu wanted to merge all of them into one pile to build a great mountain. If the sum of stones of some piles was  $S$ , Pangu would need  $S$  seconds to pile them into one pile, and there would be  $S$  stones in the new pile.

Unfortunately, every time Pangu could only merge successive piles into one pile. And the number of piles he merged shouldn't be less than  $L$  or greater than  $R$ .

Pangu wanted to finish this as soon as possible.

Can you help him? If there was no solution, you should answer '0'.

### Input

There are multiple test cases.

The first line of each case contains three integers  $N, L, R$  as above mentioned ( $2 \leq N \leq 100, 2 \leq L \leq R \leq N$ ).

The second line of each case contains  $N$  integers  $a_1, a_2 \dots a_N$  ( $1 \leq a_i \leq 1000, i = 1 \dots N$ ), indicating the number of stones of pile 1, pile 2 ...pile  $N$ .

The number of test cases is less than 110 and there are at most 5 test cases in which  $N \geq 50$ .

### Output

For each test case, you should output the minimum time(in seconds) Pangu had to take . If it was impossible for Pangu to do his job, you should output 0.

### Sample Input

```
3 2 2
1 2 3
3 2 3
1 2 3
4 3 3
1 2 3 4
```

### Sample Output

```
9
6
0
```